




Cotización iluminación profesional con LEDs para estudio de Tv

Tec Campus
 Coordinador laboratorio de Radio y Tv
 Sr. Angelina

Con base a nuestra exhibición anterior de iluminación con LED y nuestra breve conferencia al respecto el día 3 de julio del presente, aquí compartimos 3 sistemas de solución.


Sistema austero, opción 1: \$23,910.50

Marca/Modelo	Características	Piezas/Foto
Acme/DMX Master 2	<ul style="list-style-type: none"> • Universal DMX-512 controller • Controls up to 12 intelligent lights of up to 16 channels each • 30 banks of 8 scenes, 240 scenes max • 6 programmable chases with fade time and speed. • MIDI controllable or sound activated. • Fog control button. • Copy fixture setting from one fixture to a second one. • Blackout, tap sync, and manual override. • DMX polarity selector. • Fine adjustment of the Pan and Tilt. • Assignable and reversible joystick 	Una pieza 
Chauvet/LED Techno Strobe	<ul style="list-style-type: none"> • 3-channel DMX-512 LED white strobe light • Blackout/static/dimmer/strobe • Adjustable flash rate, dimmer and static in stand-alone via dipswitches • Built-in automated programs via master/slave or DMX • Built-in sound activated programs via master/slave or DMX • Beam angle: 20° • Footcandles: 123 • Lux: 1,321 • Light Source: 192 white LEDs • Current draw: (peak 12W @ 120V) (inrush 24W @ 120V) • Power: Auto switching 100V - 240V 50/60Hz • Weight: 4.9lbs (2.2kgs) • Size: 355.6mm x 247.65mm x 165.1mm 	Cuatro piezas 
Chauvet/LEDRAIN-64	<ul style="list-style-type: none"> • 7-channel DMX-512 LED narrow beam • Blackout/static/dimmer/strobe • Selector switch for sound active or automatic mode • Static colors and RGB color mixing in master/slave mode via dip switches • Beam angle: 16° • Field angle: 26° • Footcandles: 292 • Lux: 3,142 • Light Source: 183 (61 red, 61 green, 61 blue) • Current draw: (peak 18W @ 120V) (inrush 22W @ 120V) • Power: Switchable 110V/230V 50/60Hz • Weight: 1.8 kgs • Size: 279 mm x 254 mm x 216 mm 	Cuatro piezas 




Oficina: Tel. 3 10 06 99 Cel: 045 77 71 37 85 63


Taller: Tel. 3 10 63 52 Cel: 045 77 71 07 56 58

MSN Messenger: msn@djkozz.com URL: <http://www.djkozz.com>




	<ul style="list-style-type: none"> • Cableado DMX • Diseñado conforme a características del sistema • Distancia máxima 15 mt 	<p>8 líneas</p> 
--	---	---


Sistema efectivo, opción 2: \$36,168.00

Marca/Modelo	Características	Piezas/Foto
Acme/DMX Master 2	<ul style="list-style-type: none"> • Universal DMX-512 controller • Controls up to 12 intelligent lights of up to 16 channels each • 30 banks of 8 scenes, 240 scenes max • 6 programmable chases with fade time and speed. • MIDI controllable or sound activated. • Fog control button. • Copy fixture setting from one fixture to a second one. • Blackout, tap sync, and manual override. • DMX polarity selector. • Fine adjustment of the Pan and Tilt. • Assignable and reversible joystick 	<p>Una pieza</p> 
Chauvet/LED Techno Strobe	<ul style="list-style-type: none"> • 3-channel DMX-512 LED white strobe light • Blackout/static/dimmer/strobe • Adjustable flash rate, dimmer and static in stand-alone via dipperswitches • Built-in automated programs via master/slave or DMX • Built-in sound activated programs via master/slave or DMX • Beam angle: 20° • Footcandles: 123 • Lux: 1,321 • Light Source: 192 white LEDs • Current draw: (peak 12W @ 120V) (inrush 24W @ 120V) • Power: Auto switching 100V - 240V 50/60Hz • Weight: 4.9lbs (2.2kgs)) • Size: 355.6 mm x 247.65 mm x 165.1 mm 	<p>Seis piezas</p> 
Lightec/Stripe 252	<ul style="list-style-type: none"> • Voltage: AC 100-240 V 50-60 Hz • Total power: 30 W 252 pcs high power 10 mm LEDs diode. High brightness, low power consumption, including 84pcs of red, green and blue LED diode respectively • Function: Strobe (single/RGB choosing) dimmer, sound control, fade in and fade out and color mixing • Control channel: 12 DMX • Net weight: 2.72kg • Size: 1055 x 180 x 120 mm 	<p>Cuatro piezas</p> 

	<ul style="list-style-type: none"> • Cableado DMX • Diseñado conforme a características del sistema • Distancia máxima 15 mt 	<p>10 líneas</p> 
--	---	--

Sistema espectacular, opción 3: \$56,003.00 Para ya no volver a subirse a la estructura superior de andamios.

Marca/Modelo	Características	Piezas/Foto
Acme/DMX Master 2	<ul style="list-style-type: none"> • Universal DMX-512 controller • Controls up to 12 intelligent lights of up to 16 channels each • 30 banks of 8 scenes, 240 scenes max • 6 programmable chases with fade time and speed. • MIDI controllable or sound activated. • Fog control button. • Copy fixture setting from one fixture to a second one. • Blackout, tap sync, and manual override. • DMX polarity selector. • Fine adjustment of the Pan and Tilt. • Assignable and reversible joystick 	<p>Una pieza</p> 
Chauvet/LED Techno Strobe	<ul style="list-style-type: none"> • 3-channel DMX-512 LED white strobe light • Blackout/static/dimmer/strobe • Adjustable flash rate, dimmer and static in stand-alone via dipswitches • Built-in automated programs via master/slave or DMX • Built-in sound activated programs via master/slave or DMX • Beam angle: 20° • Footcandles: 123 • Lux: 1,321 • Light Source: 192 white LEDs • Current draw: (peak 12W @ 120V) (inrush 24W @ 120V) • Power: Auto switching 100V - 240V 50/60Hz • Weight: 4.9lbs (2.2kgs)) • Size: 355.6 mm x 247.65 mm x 165.1 mm 	<p>Cuatro piezas</p> 
Lightec/ SPM3000	<ul style="list-style-type: none"> • Mini moving head LED. • Use the high power of 1 W LED beads which the irradiance angle is 30, total area 36 bends • With RGB mixed color, RGB dimming, RGB stream effect 	<p>Cuatro piezas</p> 

	<ul style="list-style-type: none"> • Cableado DMX • Diseñado conforme a características del sistema • Distancia máxima 15 mt 	<p>8 líneas</p> 
--	---	---

Notas

- Todas las opciones están prediseñadas para su expansión y futuro crecimiento.
- En todas las opciones se máximo costo de equipo Vs desempeño y funciones.
- La mezcla de blanco también se logra con RGB.
- La corrección pertinente se hace en las cámaras de video.
- Por tratarse del Tec, cualquiera de las opciones incluye un curso rápido general de instalación y utilización básica del sistema, para un staff máximo de 2 personas.

Políticas de venta de equipo:

- Precio incluye IVA.
- Precio más 2% por pago con cheque.
- Precio más 1% por retardo semanal del pago.
- Precio incluye entrega a domicilio en el área metropolitana de Cuernavaca.
- Precio sujeto a cotización del dólar americano.
- Precio sujeto a cambio sin previo aviso.
- Precio sujeto a disponibilidad de inventario.
- Garantía la del fabricante. No incluye daños por ignorancia y/o negligencia.
- No se aceptan devoluciones.
- No otorgamos crédito.
- No se aceptan pagos de terceros.
- No facturamos a terceros.
- Precio por proyecto, sistema integral.

Cualquier duda o aclaración al respecto quedo a sus órdenes.

Cordialmente,

LCC Enrique Salazar Ramírez
 Director